

This list was made by Bennett Hennessey of Armonia and originally posted at Bird Bolivia <http://www.birdbolivia.com/Red-fronted%20Macaw%20Reserve%20Bird%20List.html>

Species Name	English Name	Abundance and movements
<i>Rhynchotus maculicollis</i>	Huayco Red-winged Tinamou	Rare?
<b>Phalacrocoracidae (Cormorants)</b>		
<i>Phalacrocorax brasilianus</i>	Neotropical Cormorant	Uncommon austral winter visitor
<b>Ardeidae (Hérons)</b>		
<i>Ardea cocoi</i>	Cocoi Heron	Uncommon austral winter visitor
<i>Butorides striatus</i>	Striated Heron	Rare visitor (clear water?)
<i>Bubulcus ibis</i>	Cattle Egret	Rare to uncommon visitor
<i>Ardea Alba</i>	Great Egret	Uncommon austral winter visitor
<i>Egretta thula</i>	Snowy Egret	Uncommon austral winter visitor
<b>Cathartidae (Vultures)</b>		
<i>Cathartes aura</i>	Turkey Vulture	Very common to common resident
<i>Coragyps atratus</i>	Black Vulture	Uncommon resident
<i>Vultur gryphus</i>	Andean Condor	Uncommon to common resident
<b>Accipitridae (Kites, Hawks &amp; Eagles)</b>		
<i>Elanoides forficatus</i>	Swallow-tailed Kite	Seasonal visitor
<i>Elanus leucurus</i>	White-tailed Kite	Seasonal visitor
<i>Asturina nitida</i>	Gray Hawk	Seasonal visitor
<i>Geranoaetus melanoleucus</i>	Black-chested Buzzard-Eagle	Uncommon resident (cliff breeder)
<i>Buteo magnirostris</i>	Roadside Hawk	Common resident
<b>Falconidae (Caracaras &amp; Falcons)</b>		
<i>Caracara plancus</i>	Southern Crested Caracara	Common resident
<i>Falco sparverius</i>	American Kestrel	Common resident
<i>Falco femoralis</i>	Aplomado Falcon	Seasonal visitor?
<i>Falco peregrinus</i>	Peregrine Falcon	Uncommon resident & uncommon boreal migrant
<b>Rallidae (Moorhen)</b>		
<i>Gallinula chloropus</i>	Common Moorhen	Rare visitor
<b>Recurvirostridae (Avocets, Stilts)</b>		
<i>Himantopus mexicanus</i>	Black-necked Stilt	Seasonal visitor (austral migrant)
<b>Charadriidae (Plovers)</b>		
<i>Charadrius collaris</i>	Collared Plover	Rare visitor
<b>Scolopacidae (Sandpipers)</b>		
<i>Tringa solitaria</i>	Solitary Sandpiper	Rare to common resident
<b>Columbidae (Pigeons &amp; Doves)</b>		
<i>Columba picazuro</i>	Picazuro Pigeon	Uncommon seasonal visitor
<i>Zenaida auriculata</i>	Eared Dove	Common resident
<i>Columbina talpacoti</i>	Ruddy Ground- Dove	Seasonal visitor
<i>Columbina picui</i>	Picui Ground-Dove	Very common resident
<i>Leptotila verreauxi</i>	White-tipped Dove	Common resident
<b>Psittacidae (Parrots)</b>		
<i>Ara rubrogenys</i>	Red-fronted Macaw	Very common to common resident (cliff breeder)

<i>Aratinga acuticaudata</i>	Blue-crowned Parakeet	Seasonal visitor
<i>Aratinga mitrata</i>	Mitred Parakeet	Very common to uncommon resident (cliff breeder)
<i>Pyrrhura molinae</i>	Green-cheeked Parakeet	Common resident
<i>Myiopsitta luchi</i>	Cliff Parakeet	Very common resident (cliff breeder)
<i>Psilopsiagon aymara</i>	Gray-hooded Parakeet	Rare visitor
<i>Brotogeris chiriri</i>	Yellow-chevroned Parakeet	Common resident
<i>Amazona aestiva</i>	Blue-fronted Parrot	Rare visitor
<b>Cuculidae (Cuckoos)</b>		
<i>Crotophaga ani</i>	Smooth-billed Ani	Seasonal visitor
<i>Guira guira</i>	Guira Cuckoo	Very common to common resident (farm fields)
<b>Tytonidae (Barn Owls)</b>		
<i>Tyto alba</i>	Barn Owl	Common resident (cliff forest)
<b>Strigidae (Owls)</b>		
<i>Otus choliba</i>	Tropical Screech-Owl	Rare Resident (river edge forest)
<i>Glaucidium brasilianum</i>	Ferruginous Pygmy-Owl	Common resident
<b>Caprimulgidae (Nightjars)</b>		
<i>Nyctidromus albicollis</i>	Parauque	Seasonal visitor
<i>Hydropsalis torquata</i>	Scissor-tailed Nightjar	Seasonal visitor
<b>Apodidae (Swifts)</b>		
<i>Cypseloides rothschildi</i>	Rothschild's Swift	Rare visitor
<i>Streptoprocne zonaris</i>	White-collared Swift	Seasonal visitor
<i>Aeronautes andecolus</i>	Andean Swift	Very common to common resident
<b>Trochilidae (Hummingbirds)</b>		
<i>Chlorostilbon aureoventris</i>	Glittering-bellied Emerald	Common resident
<i>Amazilia chionogaster</i>	White-bellied Hummingbird	Common resident (farm field edge)
<i>Sappho sparganura</i>	Red-tailed Comet	Rare seasonal visitor (?altitudinal movements)
<i>Helimaster furcifer</i>	Blue-tufted Starthroat	Rare
	Hummer sp?	Agricultural fields- foraging on Banana flowers
<b>Alcedinidae (Kingfishers)</b>		
<i>Ceryle torquata</i>	Ringed Kingfisher	Clear river visitor
<i>Chloroceryle amazona</i>	Amazon Kingfisher	High river visitor? (recs. Oct, Mar.)
<i>Chloroceryle americana</i>	Green Kingfisher	Rare
<b>Bucconidae (Puffbirds)</b>		
<i>Nystalus chacuru</i>	White-eared Puffbird	Seasonal visitor
<i>Nystalus maculates</i>	Spot-backed Puffbird	Uncommon resident
<b>Picidae (Woodpeckers)</b>		
<i>Melanerpes candidus</i>	White Woodpecker	Seasonal visitor (passing through austral migrant)
<i>Melanerpes cactorum</i>	White-fronted Woodpecker	Very common to common resident
<i>Picoides lignarius</i>	Striped Woodpecker	Austral migrant? (May-Sept.)
<i>Colaptes melanochloros</i>	Green-barred Woodpecker	Uncommon resident
<i>Colaptes rupicola</i>	Andean Flicker	Rare cold front altitudinal movements
<i>Campephilus leucopogon</i>	Cream-backed Woodpecker	Rare (seasonal visitor?)
<b>Dendrocolaptidae (Woodcreepers)</b>		
<i>Sittasomus griseicapillus</i>	Olivaceous Woodcreeper	Rare resident

<i>Lepidocolaptes angustirostris</i>	Narrow-billed Woodcreeper	Uncommon resident
<b>Furnariidae (Ovenbirds)</b>		
<i>Furnarius rufus</i>	Rufous Hornero	Common resident
<i>Synallaxis frontalis</i>	Sooty-fronted Spinetail	Common resident
<i>Carnioleuca pyrrhophia</i>	Stripe-crowned Spinetail	Rare resident
<b>Thamnophilidae (Antbirds)</b>		
<i>Thamnophilus caerulescens</i>	Variable Antshrike	Rare (pos. migrant)
<b>Tyrannidae (Tyrant Flycatchers)</b>		
<i>Elaenia albiceps</i>	White-crested Elaenia	Austral migrant (June-Sept.)
<i>Elaenia parvirostris</i>	Small-billed Elaenia	Rare Resident & Common austral migrant
<i>Camptostoma obsoletum</i>	Southern Beardless-Tyrannulet	Austral migrant
<i>Suiriri Suiriri</i>	Chaco Suiriri	Uncommon resident
<i>Serpophaga munda</i>	White-bellied Tyrannulet	Austral migrant (June-Sept.)
<i>Phaeomyias murina</i>	Mouse-colored Tyrannulet	Austral migrant (June-Sept.)
<i>Stigmatura budytoides</i>	Greater Wagtail-Tyrant	Very common to common resident
<i>Sublegatus modestus</i>	Southern Scrub-Flycatcher	Austral migrant?
<i>Myiarchus tuberculifer</i>	Dusky-capped Flycatcher	Austral migrant?
<i>Tolmomyias assimilis</i>	Yellow-margined Flycatcher	Austral migrant?
<i>Hirundinea ferruginea</i>	Cliff Flycatcher	Very common to common resident (cliff breeder)
<i>Knipolegus aterrimus</i>	White-winged Black-Tyrant	Rare visitor (passing through austral migrant)
<i>Muscisaxicola fluviatilis</i>	Little Ground Tyrant	Rare visitor (clear water?)
<i>Muscisaxicola cinerea</i>	Cinereous Ground-Tyrant	Rare short-term elevational movements
<i>Fluvicola albiventer</i>	Black-backed Water-Tyrant	Rare austral migrant
<i>Pitangus sulphuratus</i>	Great Kiskadee	Common resident
<i>Empidonomus aurantioatroc</i>	Crowned Slaty-Flycatcher	Common fall pass-through austral migrant
<i>Tyrannus melancholicus</i>	Tropical Kingbird	Uncommon resident & common Austral migrant
<i>Tyrannus savana</i>	Fork-tailed Flycatcher	Rare fall pass-through austral migrant
<b>Cotingidae (Cotingas)</b>		
<i>Phytotoma rutila</i>	White-tipped Plantcutter	Common resident
<b>Vireonidae (Vireos)</b>		
<i>Cyclarhis gujanensis</i>	Rufous-browed Peppershrike	Uncommon resident
<i>Vireo Olivaceus</i>	Red-eyed Vireo	Seasonal movement?
<b>Corvidae (Jays)</b>		
<i>Cyanocorax cyanomelas</i>	Purplish Jay	Seasonal visitor
<i>Cyanocorax chrysops</i>	Plush-crested Jay	Austral migrant?
<b>Hirundinidae (Swallows)</b>		
<i>Progne tapera</i>	Brown-chested Martin	Seasonal visitor
<i>Progne subis</i>	Purple Martin	Rare visitor (passing through boreal migrant) Verify?
<i>Progne elegans</i>	Southern Martin	Rare austral migrant seasonal pass through (Oct)
<i>Pygochelidon cyanoleuca</i>	Blue-and-white Swallow	Common (breeding) to uncommon reside
<i>Stelgidopteryx ruficollis</i>	Southern Rough-winged Swallow	Austral migrant seasonal pass through
<i>Riparia riparia</i>	Bank Swallow	Boreal migrant seasonal pass through and uncommon visitor
<i>Hirundo rustica</i>	Barn Swallow	Boreal migrant seasonal pass through and uncommon visitor
<b>Troglodytidae (Wrens)</b>		

<i>Troglodytes aedon</i>	House Wren	Common resident
<b>Poliopitidae (Gnatcatchers)</b>		
<i>Poliopitila dumicola</i>	Masked Gnatcatcher	Common resident
<b>Turdidae (Thrushes)</b>		
<i>Turdus chiguanco</i>	Chiguanco Thrush	Uncommon seasonal visitor
<i>Turdus serranus</i>	Glossy-backed Thrush	Rare cold front altitudinal migrant??
<i>Turdus rufiventris</i>	Rufous-bellied Thrush	Common resident (farm fields)
<i>Turdus amaurochalinus</i>	Creamy-bellied Thrush	Common resident
<b>Mimidae (Mockingbirds)</b>		
<i>Mimus saturninus</i>	Chalk-browed Mockingbird	Austral migrant (June-Sept.)
<b>Thraupidae (Tanagers)</b>		
<i>Thraupis sayaca</i>	Sayaca Tanager	Very common resident
<i>Thraupis bonariensis</i>	Blue-and-yellow Tanager	Common resident
<i>Piranga flava</i>	Hepatic Tanager	Uncommon resident
<i>Euphonia chlorotica</i>	Purple-throated Euphonia	Common resident
<b>Emberizidae (Sparrows)</b>		
<i>Zonotrichia capensis</i>	Rufous-collared Sparrow	Common resident
<i>Lophospingus pusillus</i>	Black-crested Finch	Possible vagrant
<i>Lophospingus griseocristatus</i>	Grey-crested Finch	Very common resident
<i>Poospiza erythrophrys</i>	Rusty-browed Warbling-Finch	Rare
<i>Poospiza torquata</i>	Ringed Warbling-Finch	Resident
<i>Poospiza melanoleuca</i>	Black-capped Warbling-Finch	Uncommon resident (dry scrub)
<i>Sicalis flaveola</i>	Saffron Finch	Seasonal movements
<i>Embernagra platensis olivacea</i>	Andean Great Pampa-Finch	Rare resident (farm fields)
<i>Volatinia jacarina</i>	Blue-black Grassquit	Seasonal movements
<i>Sporophila caerulescens</i>	Double-coloured Seed-eater	Seasonal movements
<i>Catamenia analis</i>	Band-tailed Seed-eater	Seasonal movements
<i>Tiaris obscura</i>	Dull-colored Grassquit	Odd record
<i>Arremon flavirostris</i>	Saffron-billed Sparrow	Rare
<b>Cardinalidae (Cardinal Grosbeaks)</b>		
<i>Pheucticus aureoventris</i>	Black-backed Grosbeak	Seasonal movements
<i>Saltator coerulescens</i>	Grayish Saltator	Seasonal movements
<i>Saltator aurantirostris</i>	Golden-billed Saltator	Very common resident
<i>Cyanocompsa brissonii</i>	Ultramarine Grosbeak	Uncommon resident
<b>Parulidae (Wood-Warblers)</b>		
<i>Parula pitiaiyumi</i>	Tropical Parula	Seasonal movements
<i>Geothlypis aequinoctialis</i>	Masked Yellowthroat	Seasonal movements
<i>Myioborus bruniceps</i>	Brown-capped Redstart	Very common resident
<b>Icteridae (Blackbirds)</b>		
<i>Icterus cayanensis</i>	Epaulet Oriole	Rare- seasonal movements
<i>Oreopsar bolivianus</i>	Bolivian Blackbird	Very common resident (cliff breeder)
<i>Agelaioides badius</i>	Bay-winged Cowbird	Seasonal movements
<i>Molothrus bonariensis</i>	Shiny Cowbird	Seasonal movements
<b>Fringillidae (Finches)</b>		

<i>Carduelis magellanica</i>	Hooded Siskin	Seasonal movements
<b>Introduced: Passeridae (House Sparrow)</b>		
<i>Passer domesticus</i>	House Sparrow	Uncommon resident

**Notes (May 2010)** - Bennett Hennessey

We are just beginning to understand the birds of the Red-fronted Macaw Reserve. No official ecological studies have been conducted. It is clear that a lot is going on. We have clear cut resident birds, but many other bird movements we do not understand. It would be dangerous to say a bird is a vagrant to the reserve as yet. There are Austral migrant birds (leaving Argentina during our winter May to Sept.) that pass through the reserve on their way to areas further north (the most extreme of these being the Fork-tailed Flycatcher passing the reserve on its way to Venezuela). Other austral migrants stay in the reserve for a few months of the year. We see the same trend for boreal migrant birds, like the depending on the rains and the temperature- and sometimes whether they are breeding or not (many non-breeding birds are less particular about their range). And then to confuse things a little bit further, we have the birds that pop down a 1,000 meters for a few days to avoid the cold fronts that must make foraging tough for them in their preferred habitat. Bolivia receives these cold fronts from April to Oct. So it is not insane to see a species normally found in the 4,000 m high altiplano of Bolivia, visiting our 1,700 m reserve in these months.

And then we have the aquatic birds, which appear to be responding to the high water levels of the Austral summer, and the low water levels of the Austral winter, and whether the water is muddy or clear through-out the year.

So we have many questions, and lots to learn. Why your records are important for Armonia and their conservation efforts at the Red-fronted Macaw Reserve. Please try to send to Bennett Hennessey (abhennessey@armonia-bo.org- also with any nice pictures that can be put on the walls of the Red-fronted Macaw Ecodge).





nt